



THE WILLIAMS
BROTHERS
CORPORATION



FIRE PROTECTION EQUIPMENT CABINETS

DIVISION 10 44 00

WILLIAMS BROTHERS, YOUR ORIGINAL AND TRUSTED SOURCE OF QUALITY ACCESS DOORS AND FIRE EQUIPMENT

For four generations, the Williams family has been serving the ever-changing needs of the construction and fire equipment industries with a total commitment to customer satisfaction. As a family owned and operated business, with manufacturing facilities in North America, we are dedicated to designing and fabricating reliable, high quality products for the global market.

WE OPERATE AS TWO BUSINESS DIVISIONS:

Williams Brothers Corporation
manufactures a broad range of
access doors and fire equipment
storage, including fire extinguisher
and valve cabinets.



STRIKE FIRST
CORPORATION

Strike First Corporation is a leading manufacturer and supplier of portable fire extinguishers, accessories, and brackets that are UL/ULC Listed and USCG approved.

strike-first.com

WILLIAMS BROTHERS STANDARDS MET



info@williams-brothers.com
williams-brothers.com

WILLIAMS BROTHERS THE FINEST IN STANDARD AND CUSTOM METALWORK



At our Scarborough, Ontario facility we design and manufacture robust, durable and attractive access doors, metalwork and cabinets for the construction and fire protection industries.

For indoor and outdoor use, for industrial, commercial or residential applications – in a broad selection of colours and finishes – we make it all. Choose from a broad selection of standard units or bring us your custom plans. Our in-house engineering and design team can meet your most complex demands. Our service always includes on-time delivery for customers worldwide.

Contact us directly at info@williams-brothers.com to learn more.

STRIKE FIRST PORTABLE FIRE EXTINGUISHERS OF UNCOMPROMISED QUALITY



Customers who demand the highest standards in fire protection choose Strike First. Designed and manufactured in North America, our fire extinguishers are constructed for reliable, long lasting service – and are backed by solid customer service and warranties up to six years.

Our extinguishers are built tough with a reputation of easy serviceability for commercial, industrial, institutional and residential applications.

When seconds count, STRIKE FIRST.

Contact us directly at info@strike-first.com to learn more.

CONTENTS

History and Index	1
FIRE EXTINGUISHER CABINETS	
Elite Cabinet Series (CAN)	2
Elite Cabinet Series (US)	3
Sierra Cabinet Series	4
Hyperion Cabinet Series	4
Atlas Security Series	5
Atlas Ligature Resistant Series	7
Classic Cabinet Series	8
Pano Cabinet Series	9
FIRE HOSE/VALVE CABINETS	
Valve and Extinguisher Combination	9
Valve Cabinets	10
Fire Hose Cabinets	10
INDUSTRIAL OUTDOOR FIRE EQUIPMENT STORAGE	
Fire Extinguisher / Hose / Valve Cabinets	11
Heavy Duty Series	11
Weatherproof Hose Cabinet	12
Hydrant Hose House	13
Storage Cages for Pressurized Cylinders	14
FIRE SAFETY PLAN BOXES	15
SADDLE TYPE HOSE RACK	15
SYSTEM RECORDS DOCUMENTS CABINET	16
DECAL AND CABINET HANDLE OPTIONS	16
STRIKE FIRST FIRE EXTINGUISHERS	17
FIRE PROTECTION EQUIPMENT WARRANTY	18



**EC-351 – FULL GLASS
SEMI-RECESSED
ACCOMMODATES SF-ABC680
10LB DRY CHEMICAL
FIRE EXTINGUISHER**



**EC-351 – SEMI-RECESSED
SIDE VIEW, 2" ROUNDED
TURNBACK**

Williams Brothers' Elite Series Cabinet is the ideal choice for virtually any architectural specification. Built with precision and durability in mind, these attractive cabinets are available in a variety of mounting styles, including recessed, semi-recessed and surface mounted. The fronts are 16-gauge cold-rolled steel with 22-gauge cold-rolled steel tubs.

All cabinets come standard with a full glass panel door, a continuous piano hinge, stainless-steel paddle latch and white powder coat finish.

Wall Mount Style	- Recessed - Semi-recessed - Surface
Hinge	- Continuous piano hinge - Invisible SOSS hinge standard on stainless steel cabinet
Latch	Stainless steel paddle latch
Standard Door Style	Full glass panel
Door Style Options	- Vertical duo - Full metal - Full glass break glass - Full metal break glass
Standard Finish	Super durable white powder coat finish
Options (at extra cost)	- Fire rated 2 hr Warnock Hersey Interek spec ID # 27905 - Keyed cylinder lock (151 key code) - Stainless steel #304 or #316 with #4 satin finish - Aluminum - Custom sizes and architectural finishes available - Vertical and horizontal vinyl decals "FIRE EXTINGUISHER" in colours red, black or white

Model No.	Description	Size (W x H x D)
EC-101	Recessed, 1/4" trim turnback	8" x 17" x 5"
EC-111	Semi-recessed, 1" sq. trim turnback	8" x 17" x 5"
EC-151	Semi-recessed, 2" radius trim turnback	8" x 17" x 5"
EC-191	Surface	9" x 19" x 5"
EC-211	Semi-recessed, 1" sq. trim turnback	9" x 24" x 5"
EC-301	Recessed, 1/4" trim turnback	9" x 24" x 6"
EC-311	Semi-recessed, 1" sq. trim turnback	9" x 24" x 6"
EC-351	Semi-recessed, 2" radius trim turnback	9" x 24" x 6"
EC-361	Semi-recessed, 3" radius trim turnback	9" x 24" x 6"
EC-391	Surface	9.5" x 24" x 6"
EC-401	Recessed, 1/2" turnback	9" x 27" x 8"
EC-601	Recessed, 1/2" turnback	10" x 30" x 8"
EC-691	Surface	10" x 30" x 8"
EC-701	Recessed 1/2" turnback	12" x 30" x 8"
EC-801	Recessed 1/2" turnback	12" x 35" x 8"



E-321 – FULL GLASS SEMI-RECESSED ACCOMMODATES SF-ABC680 10LB DRY CHEMICAL FIRE EXTINGUISHER



E-321 – SEMI-RECESSED SIDE VIEW, 2" SQ. TURNBACK

Williams Brothers' Elite Series Cabinet is the ideal choice for virtually any architectural specification. Built with precision and durability in mind, these attractive cabinets are available in a variety of mounting styles, including recessed, semi-recessed and surface mounted. The fronts are 16-gauge cold-rolled steel with 22-gauge cold-rolled steel tubs.

All cabinets come standard with a full glass acrylic panel door, a continuous piano hinge, 4" pull handle and white powder coat finish.

Wall Mount Style	• Recessed • Semi-recessed • Surface
Hinge	• Continuous piano hinge • Invisible SOSS hinge standard on stainless steel cabinets
Latch	• 4" Pull handle
Standard Door Style	• Full glass panel w/ clear acrylic
Door Style Options	• Full metal • Full glass break glass with emergency pull lock • Vertical duo • Horizontal duo
Standard Finish	• Super durable white powder coat finish
Options (at extra cost)	• Fire rated 2 hr Warnock Hersey Interek spec ID # 27905 • Keyed cylinder lock (151 key code) • Stainless steel #304 or #316 with #4 satin finish • Aluminum • Custom sizes and architectural finishes available • Vertical and horizontal vinyl decals "FIRE EXTINGUISHER" in colours red, black or white

Model No.	Description	Size (W x H x D)
E-101	Recessed, 1/4" trim turnback	8" x 17" x 5"
E-111	Semi-recessed, 1" sq. trim turnback	8" x 17" x 5"
E-121	Semi-recessed, 2" sq. trim turnback	8" x 17" x 5"
E-191	Surface	9" x 19" x 5"
E-301	Recessed, 1/4" trim turnback	9" x 24" x 6"
E-321	Semi-recessed, 2" sq. trim turnback	9" x 24" x 6"
E-351	Semi-recessed, 2" radius trim turnback	9" x 24" x 6"
E-361	Semi-recessed, 3" radius trim turnback	9" x 24" x 6"
E-391	Surface	9.5" x 24" x 6"
E-501	Recessed, 1/4" trim turnback	12" x 27" x 8"
E-551	Semi-recessed, 2" radius trim turnback	12" x 27" x 8"
E-591	Surface	12" x 27" x 8"

SIERRA SERIES FIRE EXTINGUISHER CABINET



Wall Mount Style	Flush mounted, trim-less
Hinge	Invisible pivot hinges
Latch	Flush handle (ADA compliant) with roller ball catch
Standard Door Style	Clear acrylic glazing on full glass models
Door Style Options	- Full metal - Vertical duo
Standard Finish	Super durable white powder coat finish

Options (at extra cost)

- Fire rated 2 hr Warnock Hersey Interek spec ID #27905
- Stainless steel #304 or #316 with #4 satin finish
- Architectural finishes available
- Vertical and horizontal vinyl decals "FIRE EXTINGUISHER" in colours red, black or white

S-103-FM-DBV RECESSED – OPTIONAL ANODIZED ALUMINUM FINISH WITH VERTICAL BLACK DECAL

Williams Brothers' Sierra Series Cabinet is designed as an architecturally-pleasing, flush mounted trimless cabinet. Doors are manufactured with 16-gauge cold-rolled steel, at a 5/8" depth, and come complete with pivot hinges and flush handle to ensure ADA compliance. The tub is 22-gauge cold-rolled steel with 1 3/4" flange.

The standard white powder coated door can also be ordered in anodized aluminum or #304 stainless steel with #4 satin finish as an option. Clear acrylic glazing is included on full glass panel door models. This cabinet is available with an optional 2 hr fire-rating.

Model No.	Description	Size (W x H x D)
S-101	Full glass, 5/8" trim turnback	8" x 17" x 5"
S-101-FM	Full metal, 5/8" trim turnback	8" x 17" x 5"
S-101-VD	Vertical duo, 5/8" trim turnback	8" x 17" x 5"
S-301	Full glass, 5/8" trim turnback	9" x 24" x 6"
S-301-FM	Full metal, 5/8" trim turnback	9" x 24" x 6"
S-301-VD	Vertical duo, 5/8" trim turnback	9" x 24" x 6"
S-401	Full glass, 5/8" trim turnback	12" x 27" x 8"
S-401-FM	Full metal, 5/8" trim turnback	12" x 27" x 8"
S-401-VD	Vertical duo, 5/8" trim turnback	12" x 27" x 8"

HYPERION SERIES FIRE EXTINGUISHER CABINET



Wall Mount Style	- Recessed - Surface
Hinge	Continuous piano hinge
Latch	4" Recessed black pull handle (ADA compliant)
Standard Door Style	Full glass panel
Door Style Options	- Vertical duo - Full metal - Horizontal duo

Standard Finish

Options (at extra cost)

- Super durable white powder coat finish
- Fire rated 2 hr Warnock Hersey Interek spec ID #27905
- Stainless steel #304 or #316 with #4 satin finish
- Architectural finishes available
- Clear anodized aluminum finish
- Ligature resistant

4-2211 – FULL GLASS RECESSED SHOWN WITH OVAL 10JABC

Williams Brothers' Hyperion Series Cabinet is designed to fit the low-profile, high-performance OVAL fire extinguisher. Fitting into a 3 5/8" stud wall cavity, this cabinet is available in recessed or surface wall-mounting options. The door and trim is 16-gauge cold-rolled steel with a 22-gauge cold-rolled steel tub.

All cabinets come standard in a white powder coat finish, a continuous piano hinge, and a 4" recessed black pull handle that is ADA-compliant. Optional architectural finishes of #304 stainless steel or clear anodized aluminum are available, as well as ligature resistant and fire rated options.

Model No.	Description	Size (w x h x d)
4-2211	Steel white	12" x 27" x 3 1/8"
4-2225	304 Stainless steel with #4 satin finish	12" x 27" x 3 1/8"
4-2230	Anodized aluminum	12" x 27" x 3 1/8"



ATLAS SERIES MAXIMUM DETENTION SECURITY CABINETS



**A-MAX-301 – SHOWN IN
OPTIONAL RED**



**A-MAX-301
HEAVY DUTY 850T HINGE**

Williams Brothers' Atlas Security Series is a line of detention cabinets used in correctional and institutional settings. These cabinets are available in three construction styles, depending on the level of security required: minimum, medium, and maximum. Designed to the highest level of specification including cold-rolled steel gauges range from 14 gauge to 10 gauge. Available in fire extinguisher, fire hose/reel and fire sprinkler control cabinets.

Door and Tub	• Door: 10 gauge • Tub: 10 gauge
Wall Mount Style	• Recessed • Surface
Hinge	• Heavy duty 850T hinge
Latch	• Prepped for detention lock, sold separately
Standard Door Style	• Full metal
Standard Finish	• Super durable white powder coat finish
Options (at extra cost)	• Red powder coat finish • High security detention deadbolt lock • Architectural finishes available

Model No.	Description	Size (w x h x d)
Fire Hose Cabinet		
30308R-MAX	Recessed Maximum Security	30" x 30" x 8"
30308S-MAX	Surface Maximum Security	30" x 30" x 8"
Hose Reel Cabinet		
303012R-MAX	Recessed Maximum Security	30" x 30" x 12"
303012S-MAX	Surface Maximum Security	30" x 30" x 12"
343412R-MAX	Recessed Maximum Security	34" x 34" x 12"
343412S-MAX	Surface Maximum Security	34" x 34" x 12"
Valve Cabinets		
14148R-MAX	Recessed Maximum Security	14" x 14" x 8"
30308R-MAX	Recessed Maximum Security	30" x 30" x 8"
30308S-MAX	Surface Maximum Security	30" x 30" x 8"
303010R-MAX	Recessed Maximum Security	30" x 30" x 10"
303010S-MAX	Surface Maximum Security	30" x 30" x 10"
303014R-MAX	Recessed Maximum Security	30" x 30" x 14"
303014S-MAX	Surface Maximum Security	30" x 30" x 14"
Fire Extinguisher Cabinets		
A-301-MAX	Recessed Maximum Security	10.5" x 24" x 7.5"
A-391-MAX	Surface Maximum Security	10.5" x 24" x 7.5"
A-601-MAX	Recessed Maximum Security	10" x 30" x 8"



ATLAS SERIES MEDIUM AND MINIMUM DETENTION SECURITY CABINETS



**A-MED-301 – SHOWN IN
OPTIONAL RED**



**A-MIN-301 – SHOWN IN
OPTIONAL RED**

Williams Brothers' Atlas Security Series is a line of detention cabinets used in correctional and institutional settings. These cabinets are available in three construction styles, depending on the level of security required: minimum, medium, and maximum.

Door and Tub (Medium Security)	- Door: 12 gauge - Tub: 14 gauge
Door and Tub (Minimum Security)	- Door: 14 gauge - Tub: 18 gauge
Wall Mount Style	- Recessed - Surface
Hinge	Continuous piano hinge
Latch	Keyed cylinder lock (151 key code)
Standard Door Style	Full metal
Standard Finish	Super durable white powder coat finish
Options (at extra cost)	- Red powder coat finish - Architectural finishes available

Designed to the highest level of specification including cold-rolled steel gauges range from 14 gauge to 10 gauge. Available in fire extinguisher, fire hose/reel and fire sprinkler control cabinets.

MEDIUM DETENTION SECURITY CABINETS

Model No.	Description	Size (w x h x d)
Fire Hose Cabinet		
30308R-MED	Recessed Medium Security	30" x 30" x 8"
30308S-MED	Surface Medium Security	30" x 30" x 8"
Hose Reel Cabinet		
303012R-MED	Recessed Medium Security	30" x 30" x 12"
303012S-MED	Surface Medium Security	30" x 30" x 12"
343412R-MED	Recessed Medium Security	34" x 34" x 12"
343412S-MED	Surface Medium Security	34" x 34" x 12"
Valve Cabinets		
14148R-MED	Recessed Medium Security	14" x 14" x 8"
30308R-MED	Recessed Medium Security	30" x 30" x 8"
30308S-MED	Surface Medium Security	30" x 30" x 8"
303010R-MED	Recessed Medium Security	30" x 30" x 10"
303010S-MED	Surface Medium Security	30" x 30" x 10"
303014R-MED	Recessed Medium Security	30" x 30" x 14"
303014S-MED	Surface Medium Security	30" x 30" x 14"
Fire Extinguisher Cabinets		
A-101-MED	Recessed Medium Security	8" x 17" x 5"
A-301-MED	Recessed Medium Security	9" x 24" x 6"
A-391-MED	Surface Medium Security	9" x 24" x 6"
A-601-MED	Recessed Medium Security	10" x 30" x 8"

MINIMUM DETENTION SECURITY CABINETS

Model No.	Description	Size (w x h x d)
Fire Hose Cabinet		
30308R-MIN	Recessed Minimum Security	30" x 30" x 8"
30308S-MIN	Surface Minimum Security	30" x 30" x 8"
Hose Reel Cabinet		
303012R-MIN	Recessed Minimum Security	30" x 30" x 12"
303012S-MIN	Surface Minimum Security	30" x 30" x 12"
343412R-MIN	Recessed Minimum Security	34" x 34" x 12"
343412S-MIN	Surface Minimum Security	34" x 34" x 12"
Valve Cabinets		
14148R-MIN	Recessed Minimum Security	14" x 14" x 8"
30308R-MIN	Recessed Minimum Security	30" x 30" x 8"
30308S-MIN	Surface Minimum Security	30" x 30" x 8"
303010R-MIN	Recessed Minimum Security	30" x 30" x 10"
303010S-MIN	Surface Minimum Security	30" x 30" x 10"
303014R-MIN	Recessed Minimum Security	30" x 30" x 14"
303014S-MIN	Surface Minimum Security	30" x 30" x 14"
Fire Extinguisher Cabinets		
A-101-MIN	Recessed Minimum Security	8" x 17" x 5"
A-301-MIN	Recessed Minimum Security	9" x 24" x 6"
A-391-MIN	Surface Minimum Security	9" x 24" x 6"
A-601-MIN	Recessed Minimum Security	10" x 30" x 8"



ATLAS LIGATURE RESISTANT SERIES

FIRE EXTINGUISHER CABINET



A-361-LR SEMI-RECESSED LIGATURE RESISTANT

Ligature-resistant cabinets are specifically designed for mental health facilities, prioritizing considerations for self-harm and patient safety. These cabinets can accommodate a 10 lb. extinguisher (i.e. Strike First SF-ABC680). They feature ligature-resistant beveled or sloped trim with seamless, smooth edges to enhance patient safety. Additionally, the doors have a double break edge to provide reinforced stiffness. Both the door and trim are manufactured from 16-gauge steel. The cabinet's design minimizes access points that could result in self-harm.

Wall Mount Style	- Recessed - Semi-recessed
Hinge	Continuous piano hinge
Latch	Keyed cylinder lock (151 key code)
Standard Door Style	Full metal
Standard Finish	Super durable white powder coat finish
Options (at extra cost)	- Fire rated 2 hr Warnock Hersey Interek spec ID #27905 - Stainless steel # 304 or # 316 w/ # 4 finish - Architectural finishes available - Mortise lock (w/ direct motion cam) - Vertical and horizontal decals "FIRE EXTINGUISHER" in colours red, black or white

Model No.	Description	Size (w x h x d)
A-301-LR	- Recessed ligature resistant - Full metal w/ piano hinge and keyed cylinder lock 3/16" beveled flat trim	9" x 24" x 6"
A-311-LR	- Semi-recessed ligature resistant - Full metal w/ piano hinge and keyed cylinder lock 5/8" deep sloped trim w/ welded corners ground smooth	9" x 24" x 6"
A-361-LR	- Semi-recessed ligature resistant - Full metal w/ piano hinge and keyed cylinder lock 2 3/4" deep sloped trim w/ welded corners ground smooth	9" x 24" x 6"

Disclaimer: This product is designed to decrease the probability that it may be utilized as an apparatus for ligature. It is not a replacement for professionals who are trained in the proper evaluation, management and supervision of persons at risk of self injury.



C-100

The WB Classic Series Cabinets are an economical and practical choice of cabinet. Their sturdy construction out of 18-gauge galvalume steel makes them ideal for installation in parking garages, warehouses, construction sites, high vandalism and theft areas. Cabinets always remain lock and allow emergency access through breaking the score acrylic.

Door & Tub	18 ga galvalume steel
Finish	Powder coat white
Mount	Surface
Includes	• UV resistant emergency decal • Keyed alike cylinder lock with (2) keys • Scored acrylic (17 7/8" x 8" w) • Breaker bar and chain
Packaging	Individually boxed
Options	• Powder coat red • 304 stainless steel with #4 finish • Architectural finishes available • Recessing frame with 1/2" TB on trim



MODEL C-999




MODEL C-104




OPTIONAL RECESSED FRAME

The optional recessing frame with 1/2" TB on trim minimises product SKUs, bulk order frames separately



Front



Side

Model No.	Description	Size (w x h x d)	Weight (lbs)
C-100	5 LB. Dry Chemical Fire Extinguisher Cabinet	8 1/2" x 20 1/2" x 6"	6
C-999	10 LB. Dry Chemical Fire Extinguisher Cabinet	10 1/2" x 24 1/4" x 6 1/2"	9
C-104	20 LB. Dry Chemical Fire Extinguisher Cabinet	14 1/8" x 30 1/8" x 9"	9

W PANO SERIES FIRE EXTINGUISHER CABINET



**PC-411 – SEMI-RECESSED
WITH OPTIONAL ACRYLIC
BUBBLE CANOPY**



**PC-411 – SEMI-RECESSED
SIDE VIEW WITH OPTIONAL
ACRYLIC BUBBLE CANOPY**

Williams Brothers' Pano Series Cabinet features a bubble canopy front. This feature allows for 180 degrees of visibility as per the NFPA 10 code. The cabinet front is fabricated in 16-gauge cold-rolled steel and the tub is 20-gauge cold-rolled steel complete with bracket mounting holes. Available in two sizes designed

Wall Mount Style	Semi-recessed
Hinge	- Continuous piano hinge - Invisible SOSS hinges on stainless steel
Latch	Stainless steel paddle latch
Standard Door Style	Bubble canopy front
Standard Finish	Super durable white powder coat finish
Options (at extra cost)	- Fire rated 2 hr Warnock Hersey Intertek Spec ID #27905 - Stainless steel #304 or #316 with #4 satin finish - Architectural finishes available - Acrylic bubble canopy

Model No.	Description	Size (w x h x d)
PC-311	Bubble front canopy, 1" sq. trim turnback	10.5" x 24" x 4"
PC-411	Bubble front canopy, 1" sq. trim turnback	14.5" x 30" x 4"

to fit multiple Strike First extinguisher models: the 10 lb ABC (SF-ABC680), 20 lb ABC (SF-ABC1020), Class K (SF-6LK), and Pressure Water (SF-PW250).

All cabinets come standard in a white powder coat finish, a continuous piano hinge and stainless steel paddle latch.

FIRE HOSE/VALVE CABINETS

W ELITE SERIES FIRE EXTINGUISHER AND VALVE COMBINATION CABINETS



14428R-FG

Williams Brothers' Fire Extinguisher and Valve Combination Cabinets are built for safety and durability. They are designed to hold from 5lb to 20lb fire extinguishers and hose valves in a single unit. Tubs include a shelf for storing a fire extinguisher. The cabinets come in a variety of mounting options and door types. Custom architectural finishes are available.

All cabinets come standard with a full glass panel door, a continuous piano hinge, stainless steel paddle latch, universal knockouts 2" and 3", and white powder coat finish.

Wall Mount Style	- Recessed 1/2" turnback - Stainless steel recessed 3/4" turnback - Surface
Hinge	Continuous piano hinge
Latch	Stainless steel paddle latch
Standard Door Style	Full glass panel
Door Style Options	- Full metal - Full glass with break glass - Full metal with break glass
Standard Finish	Super durable white powder coat finish
Options (at extra cost)	- Fire-rated 2 hr Warnock Hersey Intertek spec id # 27905 - Keyed cylinder lock (151 key code) - Stainless steel #304 or #316 with #4 satin finish and invisible SOSS hinges - Architectural finishes available

Model No.	Description	Size (w x h x d)
10306R-FG	Recessed	10" x 30" x 6"
10306S-FG	Surface	10" x 30" x 6"
14318R-FG	Recessed – accommodates 5lb. Dry chemical and 1/2" or 2.5" Valve	14" x 31" x 8"
14318S-FG	Surface	14" x 31" x 8"

Model No.	Description	Size (w x h x d)
14388R-FG	Recessed – accommodates 10 lb. Dry chemical and 1/2" or 2.5" Valve	14" x 38" x 8"
14388S-FG	Surface	14" x 38" x 8"
14428R-FG	Recessed	14" x 42" x 8"
14428S-FG	Surface	14" x 42" x 8"

ELITE SERIES VALVE CABINETS



14148R-FG – FULL GLASS RECESSED



Williams' Brothers Valve Cabinets are leaders in quality features of strength, safety and durability. Standard with a full glass panel door, a continuous piano hinge, stainless steel paddle latch, white powder coat finish and standard universal knockouts 2" and 3".

14148R – SIDE VIEW RECESSED

Wall Mount Style	- Recessed 1/2" turnback - Stainless steel recessed 3/4" turnback - Surface
Hinge	Continuous piano hinge
Latch	Stainless steel paddle latch
Standard Door Style	Full glass panel
Door Style Options	- Full metal - Emergency break glass lock assembly

Standard Finish	Super durable white powder coat finish
Options (at extra cost)	- Fire-rated 2 hr Warnock Hersey Intertek spec ID # 27905 - Keyed cylinder lock (151 key code) - Stainless steel #304 or #316 with #4 satin finish

Model No.	Description	Size (w x h x d)
14144R	Recessed	14" x 14" x 4"
14144S	Surface	14" x 14" x 4"
14146R	Recessed, accommodates 1 1/2" hose valve	14" x 14" x 6"
14146S	Surface, accommodates 1 1/2" hose valve	14" x 14" x 6"
14148R	Recessed, accommodates 2 1/2" hose valve	14" x 14" x 8"
14148S	Surface, accommodates 2 1/2" hose valve	14" x 14" x 8"

FIRE HOSE CABINETS



30308S-FG – SURFACE

Williams Brothers' Fire Hose Cabinet Series is an industry standard in fire hose equipment storage, fabricated for strength, safety and durability. All cabinets come standard with a full glass panel door, a continuous piano hinge, stainless paddle latch, universal knockouts and a white powder coat finish. All recessed cabinets come with a 2" adjustable frame.

Wall Mount Style	- Recessed - Surface
Hinge	Continuous piano hinge
Latch	Stainless steel paddle latch
Standard Door Style	Full glass panel
Door Style Options	- Full metal - Round break glass with lock - Square break glass with lock - Vertical duo - Horizontal duo

Standard Finish	Super durable white powder coat finish
Options (at extra cost)	- Fire rated 2 hr Warnock Hersey Intertek spec ID #27905 - Stainless steel #304 or #316 with #4 satin finish - Super durable red or black powder coat finish - Architectural finishes available

Model No.	Description	Size (w x h x d)
22306R-FG	Recessed 1 1/2" Valve	22" x 30" x 6"
20308R-FG	Recessed 1 1/2" & 2 1/2" Valve	20" x 30" x 8"
30306R-FG	Recessed 1 1/2" Valve	30" x 30" x 6"
30308R-FG	Recessed 1 1/2" & 2 1/2" Valve	30" x 30" x 8"
22306S-FG	Surface 1 1/2" Valve	22" x 30" x 6"
20308S-FG	Surface 1 1/2" & 2 1/2" Valve	20" x 30" x 8"
30306S-FG	Surface 1 1/2" Valve	30" x 30" x 6"
30308S-FG	Surface 1 1/2" & 2 1/2" Valve	30" x 30" x 8"



ABS SURFACE FIRE EXTINGUISHER / HOSE / VALVE CABINETS



WB-ABS1



WB-ABS2



Ideal for use in outdoor environments. The WB-ABS cabinet has anti UV properties and a neoprene gasket for a water resistant seal. 2x latches with built in hasps for padlock (not incl.) if required. 2x plexi windows ensures good visibility of equipment and overall door strength.

Construction Specifications

- 2.5mm ABS Construction
- Black Tub / Red Door
- Neoprene Gasket
- 2x Snap Closures
- 2x Clear Acrylic Viewing Panels

	Capacity	Measurements						
		A	B	C	D	E	F	G
WB-ABS1	1x 20lb Dry Chemical Fire Extinguisher	32.68" 830mm	29.53" 750mm	10.24" 260mm	8.46" 215mm	12.60" 320mm	11.02" 280mm	7.87" 200mm
WB-ABS2	2x 20lb Dry Chemical Fire Extinguishers or 75ft 1 1/2" Rack Hose w/ 1 1/2" Angle Valve	27.95" 710mm	24.41" 620mm	10.63" 270mm	7.87" 200mm	22.83" 580mm	20.87" 530mm	16.93" 430mm



HDOEC-10/20/30 HEAVY DUTY OUTDOOR SERIES

The WB-HDOEC Cabinet Series: fabricated from 16-gauge galvanized steel to withstand exposure to outdoor environments, the cabinets are surface-mounted and feature a full metal door with a sloped roof to ease drainage. Weather-resistive gasketing and UV-resilient decal are included with each cabinet.



HDOEC - STYLE 1



HDOEC - STYLE 2

Cabinet Material	• 16 ga. galvanized construction
Cabinet Style	• Surface mounted
Door Style	• Full metal
Door Lock	• Style 1 – “Pull Firmly” lock assembly w/ 4” chrome handle & 151 keyed cylinder lock • Style 2 – stainless steel ultra lock w/ 151 keyed cylinder lock
Hinge	• Stainless steel piano hinge
Finish	• Polyester powder coat red paint • Architectural finishes available
Packaging	• Individually boxed
Includes	• Neoprene gasket • UV resilient decal

Model No.	Description	Size (w x h x d)	Shipping Weight (lbs)
HDOC-10	10 LB. Dry Chemical	12" x 24" x 7 3/4"	30
HDOC-20	20 LB. Dry Chemical	14" x 28" x 9"	35
HDOC-30	30 LB. Dry Chemical	14" x 33" x 9"	40



CM-1101 OUTDOOR WEATHERPROOF HOSE STORAGE CABINET




CM-1101 - TYPE D
(24" LEGS SHOWN)


The CM-1101 Outdoor Weatherproof Hose Storage Cabinet: designed for industrial outdoor applications and the storage of fire hoses and equipment. Fabricated from 16-gauge galvanized steel and finished with Super Durable UV resilient polyester powder coat red paint with a high gloss finish. Available in four different mounting options. This cabinet comes complete with an adjustable shelf (1), louvers for ventilation, and 2" sloped roof that is reinforced with a rain trough.

Cabinet Material	16 ga. galvanized steel
Hinge	Stainless steel piano hinges
Latch	Chrome plated zinc handle with 2-point catch
Shelf	(1) 13" deep adjustable shelf
Finish	- Super durable polyester powder coat paint (gloss finish) - Optional: safety yellow & white
Features	- Rain trough over doors - Doors overlap tub at hinge side - Louvers on both sides of cabinet
Options	- Additional shelves - FIRE HOSE - 4" h die cut vinyl white lettering - Stainless steel construction (316) - Aluminum construction - Wrench & axe brackets - Padlock hasp - Architectural finishes available

Model No.	Size (w x h x d)	Description
Type A	57" (145 cm) x 48" (122 cm) x 15" (38 cm)	Free Standing
Type B		Wall mounted (with rear lugs top & bottom)
Type C		Concrete base mounted (with grouting lugs at bottom)
Type D		Support Mounted - as shown with 24" legs (Steel fabricated legs available 12", 18", 24", 36")



Elevation



Section Detail




6175M-001 OUTDOOR HYDRANT HOSE HOUSE



6175M-001

The WB-6175M-001 Outdoor Hydrant Hose House: used to enclose hydrants as well as store fire-fighting equipment. It is fabricated from 16-gauge galvalneal steel with top and bottom ventilation louvers on each side. The spacious double-door walk-in design features an open floor and comes with two sturdy storage shelves. Doors are furnished with (3) heavy-duty butt hinges per door. Product is shipped knocked down with assembly instructions for economical shipping.




Front View

Cabinet Material	16 ga. galvalneal steel construction
Latch	Chrome plated handle (3-pt), R.H. door
Finish	- Polyester powder coat red paint - Architectural finishes available
Shelves	22 1/2" (57.15 cm) wide x 2" (5.08 cm) x 57 3/4" (146.68 cm) long* 1/2" (12.7 cm) dia. hole (6 at back, 3 on each side, 1 in front) <i>IMPORTANT: Specify quantity of shelves & location prior to ordering</i>
Hinges	3 x butt hinges per door
Construction	- Top – solid roof protection - Bottom – open type - Door stopper & roof support 2" (5.08cm) wide x 1" (2.54cm) x 3 3/16" (.48cm) channel - Door reinforcing (all around) 2" (5.08cm) wide x 1/2" (1.27 cm) deep x 16 ga. channel - Suitable brackets for accessories (optional)
Packaging	Supplied knocked down with assembly instructions
Supplied by Others	- Water hydrant - Cement base - Anchor bolt

Model No.	Description	Shipping Weight (lbs)
6175M-001	Outdoor Hydrant Hose House	600 lbs. (empty)

Note:
Not designed for sea water environment.
Contact us for sea water protection options.



Top View



STORAGE CAGES FOR PRESSURIZED CYLINDERS



WBP8V



WBP2V



WBP4V



WBP12V



WBP16V



WBOG10



WBOG20



WBOG

Photos shown
with padlock hasp
Padlock not included

The Storage Cages for Pressurized Cylinders are available as three types which include Vertical Propane Gas Cylinder Cages, Vertical Oxygen Gas Cylinder Cages and a Combination Gas/Liquid Propane Cage. The cages steel construction offer exceptional quality and durability to keep your tanks secure and employees and customers safe. All products are available direct ship fully assembled or unassembled for economical shipping option.

Door and Frame	14 ga. galvalume construction
Hinge	Heavy duty hinges, tamper resistant stainless steel bolts
Latch	Built in padlock hasp*
Finish	Durable polyester powder satin coat in safety yellow
Safety Features	- Safety warning decals available in English and/or French - Adjustable safety retention chains for welding cylinder cages - Foot pads with pre-drilled holes for secure anchoring
Options	- Slide latch - Available in other colours upon request - Architectural finishes available

*Padlock not included

Model No.	Exterior Dimension (w x h x d)	Cylinder Capacity	Weight (Lbs)
WBP2V-S WBP2V-H	31" x 40" x 24"	2	127 lbs.
WBP4V-S WBP4V-H	31" x 40" x 42"	4-6	180 lbs.
WBP8V-S WBP8V-H	31" x 72" x 42"	8-12	294 lbs.
WBP12V-S WBP12V-H	50" x 72" x 42"	12-16	414 lbs.
WBP16V-S WBP16V-H	62" x 72" x 42"	16-24	497 lbs.
WBOG10-S WBOG10-H	31" x 72" x 42"	10	196 lbs.
WBOG20-S WBOG20-H	62" x 72" x 42"	10-20	452 lbs.
WBOG-S WBOG-H	62" x 72" x 42"	8/10 cylinders 10 tanks	452 lbs.

W FIRE SAFETY PLAN BOXES



FSPB-1



FSPB1-HD

FSPB-1
STAINLESS STEEL

The WB Fire Safety Plan Box is a secured box to ensure safe keeping for fire safety plans. It provides quick and easy access of pertinent building information to emergency response teams. Boxes are constructed to be weather resistant, include highly visible reflective graphics, (2) keyed alike brass padlocks and mounting hardware. This box is also offered in stainless steel and in a heavier duty vandal resistant style.

Door & Tub	• 18 ga galvalneal steel
Size	• 13" w x 13" h x 4" d
Finish	• Super durable white powder coat finish
Hinge	• Stainless steel piano hinge
Includes	• UV resistant reflective decals • 6 X service room key tags • 2 X keyed alike brass padlocks • 4 X screws and plugs (#8)
Packaging	Individually boxed
Options	• Mikor lock FSPB-2 • 304 stainless steel w/ # 4 finish • Architectural finishes available • Heavy duty vandal resistant • French • Bilingual


Model No.	Description	Size (w x h x d)
FSPB-1	Fire safety plan box w/ brass padlock	13" x 13" x 4"
FSPB-2	Fire safety plan box w/ mikor lock	13" x 13" x 4"
FSPB1-HD	Heavy duty fire safety plan box	13" x 13" x 4"
FSPB-2-HD	Heavy duty fire safety plan box w/ mikor lock	13" x 13" x 4"

FIRE HOSE RACKS AND TRAYS

W SADDLE TYPE HOSE RACK



SADDLE HOSE RACK



Steel Construction	• 12 ga galvalneal steel mounting arm, 14 ga galvalneal steel base
Finish	• Super durable red powder coat
Includes	• Holds "Flaked" folded hose
Uses	• Suitable for industrial application for heavier cotton or synthetic industrial or municipal fire hoses

Model No.	Description	Weight (Lb)
3010	Rack, Saddle Hose, 3 1/2" (A) Depth 50' of 1 1/2" cotton rubber-line hose	5
3020	Rack, Saddle Hose, 4 1/2" (A) Depth 50' of 2 1/2" cotton rubber-line hose	6
3030	Rack, Saddle Hose, 6 1/4" (A) Depth 100' of 1 1/2" cotton rubber-line hose	7
3040	Rack, Saddle Hose, 9" (A) Depth 100' of 2 1/2" cotton rubber-line hose	8


SYSTEM RECORDS DOCUMENT CABINET



The System Records Cabinet is built from durable 22-gauge satin coat galvanized steel, offering long-lasting protection for critical system documents. It features a secure cylinder lock (keyed alike) and crisp 1.5" white die-cut vinyl lettering for clear identification. A full-length piano hinge ensures smooth, reliable door operation, while dual strap clips and a Velcro elastic document strap keep paperwork neatly organized and firmly in place. Designed for durability, security, and convenience, this cabinet provides dependable storage for essential system records.

Construction Specifications

- 22 ga. Satin Coat Galvanized Steel Construction
- Cylinder Lock (Keyed alike – 151)
- Surface Mounted
- Polyester Powder Coat Red Paint
- Die Cut Vinyl Lettering (1.5"h) White
- Full Length Piano Hinge
- x2 Strap Clips
- Velcro Elastic Document Strap
- USB Pocket Holder
- Architectural finishes available



DECAL AND CABINET HANDLE OPTIONS

"FIRE EXTINGUISHER" vinyl identification decal, suitable for Williams Brothers fire extinguisher cabinets; available in vertical or horizontal orientation and in red, black, or white lettering for high-visibility fire equipment identification.

Model No.	Description	Size
DBVLG	Large Vertical Black Decal - "Fire Extinguisher"	1" x 22"
DBVMD	Medium Vertical Black Decal - "Fire Extinguisher"	1/2" x 16.5"
DBVSM	Small Vertical Black Decal - "Fire Extinguisher"	1/2" x 11.5"
DRVLG	Large Vertical Red Decal - "Fire Extinguisher"	1" x 22"
DRVMD	Medium Vertical Red Decal - "Fire Extinguisher"	1/2" x 16.5"
DRVSM	Small Vertical Red Decal - "Fire Extinguisher"	1/2" x 11.5"



Die Cast FIRE handle available in Red, Black and Aluminum



ADA Recessed Handle





**MULTI-PURPOSE
ABC DRY CHEMICAL**



LISTED



LISTED HOMOLOGUÉ



**REGULAR
BC DRY CHEMICAL**



LISTED



LISTED HOMOLOGUÉ



**CO₂
CARBON DIOXIDE**



LISTED



LISTED HOMOLOGUÉ



**DRY CHEMICAL
AUTOMATIC HEAT ACTUATED
MULTI-PURPOSE**



WET CHEMICAL



LISTED



LISTED HOMOLOGUÉ



WATER



LISTED



LISTED HOMOLOGUÉ



WATER MIST



LISTED



LISTED HOMOLOGUÉ



FIRE PROTECTION EQUIPMENT WARRANTY

The Williams Brothers Corporation (the “Corporation”) warrants its metal access doors to be free from defects in material and workmanship for a period of one (1) year from the date of purchase (the “Warranty Period”). During the **Warranty Period**, any such defects will, **at the Corporation’s option**, be either repaired or the defective metal access door replaced. This warranty does not cover defects resulting from modifications, alterations, misuse, **accident** or **abnormal condition of operation**, exposure to corrosive conditions or improper installation or maintenance. All implied warranties, including, but not limited to warranties of fitness for purpose and merchantability, are limited to the period as stated above. **The Corporation shall not** be liable for **any special, indirect**, incidental or consequential damages or losses, including loss of profits. **This warranty will be the buyer’s sole and exclusive remedy and the Corporation** neither assumes nor authorizes any representative or other person to assume for it any obligation or liability other than as expressly set forth herein. **Since some countries or states do not allow limitation of the term of an implied warranty, or exclusion or limitation of incidental or consequential damages, the limitations and exclusions of this warranty may not apply to every buyer.** If any provision of this warranty is held invalid or unenforceable by a court of competent jurisdiction, such holding will not affect the validity or enforceability of any other provision.

WILLIAMS BROTHERS IS A MEMBER OF THE FOLLOWING ASSOCIATIONS:



WILLIAMS BROTHERS STANDARDS MET



info@williams-brothers.com
williams-brothers.com



FIRE PROTECTION EQUIPMENT CABINETS
FIRE EXTINGUISHER CABINETS
FIRE HOSE/VALVE CABINETS
INDUSTRIAL OUTDOOR FIRE EQUIPMENT STORAGE
FIRE SAFETY PLAN BOXES
FIRE HOSE RACKS AND TRAYS
FIRE PROTECTION EQUIPMENT WARRANTY
STRIKE FIRST FIRE EXTINGUISHERS

The Williams Brothers Corporation

777 Tapscott Road,
Scarborough, Ontario,
Canada M1X 1A2

Phone 416.299.7767
1.888.575.1132

info@williams-brothers.com
williams-brothers.com

Dealer Name:

Specify the following Williams Brothers Corporation products when quality counts:


- Rated and Non-Rated Fire Extinguisher Cabinets • Fire Hose Cabinets
- Valve Cabinets

CABINET DOOR AND TRIM STYLE OPTIONS


WHEN ORDERING, PLEASE SPECIFY

HIDE FOR NOW

DOOR STYLES



TRIM OPTIONS



WHEN ORDERING, PLEASE SPECIFY

MODEL & STYLE

FINISH

Primer Grey	GR
White	WH
Red	RD
304 Stainless Steel #4 Satin Finish	SS
Mirror Polished (Select Sizes only) (316 Stainless Steel Option Available)	MR

TURNBACK

Flat Trim	FT
Recessed	R
Semi - Recessed	SR
Rounded Trim	RT

DOOR STYLE

Full Glass	FG
Full Metal	FM
Standard Break Glass	BG
Square Break Glass	SBG
Vertical Duo	VD
Horizontal Duo	HD

HINGES

Full Length Piano Hinge	PH
Invisible SOSS Hinges (Standard on SS Cabinets)	IH

LATCH

Paddle Latch	PL
Cylinder Lock	CYL
Pull Firmly Lock (PFL) Assembly	BGL
4" Pull Handle	PU
4" Recessed Black Pull Handle	ADA

FIRE RATING

OPTIONAL 2 HR. FIRE RATING Add prefix after the model No. (e.g. 1-2311-FR)	FR
--	-----------

ACCESSORIES

Decals

Other Accessories ([website](#))